




AXIOM MANUFACTURING
TWR-PXS20 AXM-0559 REV A
SILKSCREEN TOP TOP ASSY




SILKSCREEN BOTTOM YSSA TOB
 TWR-PX250 AXM-0259 REV A
 AXIOM MANUFACTURING




AXIOM MANUFACTURING
TWR-PXS20 AXM-0559 REV A
LAYER1-TOP




AXIOM MANUFACTURING
TWR-PXS20 AXM-0559 REV A
LAYER2




AXIOM MANUFACTURING
TWR-PXS20 AXM-0559 REV A
LAYER3




AXIOM MANUFACTURING
TWR-PXS20 AXM-0559 REV A
LAYER4




AXIOM MANUFACTURING
TWR-PXS20 AXM-0559 REV A
LAYER5



AXIOM MANUFACTURING
TWR-PXS20 AXM-0559 REV A
LAYER6-BOTTOM





AXIOM MANUFACTURING
 TWR-PXS20 AXM-0559 REV A
 DETAIL DRAWING

DRILL CHART: TOP to BOTTOM				
ALL UNITS ARE IN MILS				
FIGURE	SIZE	TOLERANCE	PLATED	QTY
·	12.0	+2.0/-2.0	PLATED	463
◊	33.0	+2.0/-2.0	PLATED	2
◦	35.0	+2.0/-2.0	PLATED	18
○	39.0	+3.0/-3.0	PLATED	18
◇	40.0	+3.0/-3.0	PLATED	18
○	47.0	+3.0/-3.0	PLATED	7
○	63.0	+3.0/-3.0	PLATED	1
□	110.0	+5.0/-5.0	PLATED	2
○	125.0	+5.0/-5.0	PLATED	1
Ⓐ	36.0	+2.0/-2.0	NON-PLATED	2
Ⓑ	53.0	+3.0/-0.0	NON-PLATED	4
Ⓒ	60.0	+2.0/-2.0	NON-PLATED	2

