




NOTES:

1. VIEWING ANGLE: 6:00 O'CLOCK
2. DISPLAY MODE: POSITIVE/REFLECTIVE/TRANSPARENT
3. DRIVING VOLTAGE: 3.0V, DUTY: 1/4, BIAS: 1/3, FREQUENCY: 64Hz
4. OPERATING TEMP: 0°C TO 50°C
5. STORAGE TEMP: -10°C TO 60°C
6. CONNECTOR: PIN TYPE

6					 XIAMEN OCULAR LCD DEVICES CO.,LTD	TOLERANCES UNLESS OTHERWISE STATED (X) ±0.20 ANGLES 45° (XX) ±0.10 ALL DIMENSIONS IN MM UNLESS OTHERWISE STATED CUSTOMER'S-TEK	APPLICATION: <input type="checkbox"/> Instrument <input type="checkbox"/> Audio Equipment <input type="checkbox"/> Watch & Clock <input type="checkbox"/> Telephone <input type="checkbox"/> Automobile <input type="checkbox"/> Other <input type="checkbox"/> None Appliance <input type="checkbox"/> In-condition
5				PART NO. GD-398			
3				DESIGN BY W.J.Y 05/07-05			
2				CHECKED BY			
1	MODIFY GLASS SIZE AND COVER Y.Z			APP BY			
	VE	MODIFY CONTENT		DESIGN			






COM



SEG

6									
5									
4									
3									
2									
1	MODIFY GLASS SIZE AND DATE	W.J.Y.	05/07-05						
	MODIFY CONTENT DATE								

		XIAMEN OCULAR LCD DEVICES CO.,LTD	
PART NO.	GD-398	TOLERANCES UNLESS OTHERWISE STATED	APPLICATION:
DESIGN BY	W.J.Y.	±0.10 ANGLES:1°	<input type="checkbox"/> Instrument <input type="checkbox"/> Audio Equipment <input type="checkbox"/> Watch/Clock
CHECKED BY		ALL DIMENSIONS IN MM UNLESS OTHERWISE STATED	<input type="checkbox"/> Telephone <input type="checkbox"/> Automobile <input type="checkbox"/> Other
APP BY		CUSTOMER'S-TEK	<input type="checkbox"/> Home Appliances <input type="checkbox"/> Air-condition
		COMPOSE TYPE:	SAMPLE: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
		COMPOSE STEP: <input type="text"/> #	
		DATE-YEAR-STEP: <input type="text"/> #	



PLN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
COM1	COM1				1H	1A	1K	1B	2H	2A	2K	2B	7H	7A	7K	7B	8H	8A	8K	8B	9H	9A	
COM2		COM2			1E	1J	1L	1C	2E	2J	2L	2C	7E	7J	7L	7C	8E	8J	8L	8C	9E	9J	
COM3			COM3		1E	1G	1D	DT1	2E	2G	2D	CO1	7E	7G	7D	CO3	8E	8G	8D	DT8	9E	9G	
COM4				COM4	1N	1M	TIME	DT	2N	2M	DATE	DT2	7N	7M	P	DT7	8N	8M	CONTRAST	MODE	9N	9M	
PLN	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	
COM1	9K	9B	V2	KWh	VO	T4	6B	6K	6A	6H	5B	5K	5A	5H	4B	4K	4A	4H	3B	3K	3A	3H	
COM2	9I	9C	AM	Amps	V3	T3	6C	6I	6J	6F	5C	5I	5J	5E	4C	4I	4J	4E	3C	3I	3J	3E	
COM3	9D	DT9	PM	Volts	V4	T2	DT6	6D	6G	6E	CO2	5D	5G	5E	DT4	4D	4G	4E	DT3	3D	3G	3E	
COM4	CO4	V1	OM	Program	V5	T1	T	K3	6M	6N	DT5	VO	UME	5M	5N	K2	TEMP	4M	4N	K1	K	3M	3N

6																							
5																							
4																							
3																							
2	ADD LOGIC TABLE	14/07-05	W.J.Y																				
1	MODIFY GLASS SIZE AND	08/07/08	R.Y.Z																				
	VE	MODIFY CONTENT	DATE	DESIGN	BY	W.J.Y	05/07-05	CHECKED	BY														

XIAMEN OCULAR LCD DEVICES CO.,LTD

TOLERANCES UNLESS OTHERWISE STATED:
 (+) ±0.20 ANGLES±1°
 (X) ±0.10 ALL DIMENSIONS IN MM UNLESS OTHERWISE STATED
 CUSTOMER: S-TEK

APPLICATION:
 Instrument Audio Equipment Watch & Clock
 Telephone Automobile Other
 Home Appliance In-condition
 SAMPLE: Yes No

COMPOSE TYPE:
 (M) NO STEP: #
 (A) UNKY-STEP: #

SHEET 1 OF 2